

Contemporary Nutrition (Wardlaw) McGraw-Hill

A

- ABCDEs of nutritional assessment, 59–60
- Abdominal obesity, 246
- Absorption
 - of alcohol, 724
 - of calcium, 364
 - of carbohydrates, 136
 - defined, 92
 - of dietary fat, 176
 - fiber reducing cholesterol absorption, 141
 - of iron, 439–440
 - major sites of, in GI tract, 100t
 - of minerals, 283, 286
 - of nutrients in small intestines, 98
 - of proteins, 211–212
 - of vitamin B-12, 435–436, 435f
 - of vitamins, 280
 - zinc, 453
- Absorptive cells, 97
- Abuse, eating disorders and, 509–510, 519
- Acceptable Daily Intake (ADI), 132
- Acesulfame-K, 133
- Acetylcholine, 416
- Acid, 94t
 - bone health and, 362–363, 363t
 - iron absorption and, 440
 - stomach, 107
- Acid-base balance
 - electrolytes and, 313–314
 - protein's role in, 213, 314
- Acid group, 160
- Acidosis, 313
- Acid reflux, 108–110
- Acquired immune deficiency syndrome (AIDS). *See* AIDS/HIV
- Acrylamide, 594t
- Action potential, 312, 312f
- Active absorption, 98
- Adaptive thermogenesis, 239
- Added sugar, 45, 143–144
- Additive, food, 586–590
- Adenosine diphosphate (ADP), 473, 473f
- Adenosine triphosphate (ATP), 81, 473–478, 473f
- Adequate Intakes (AIs), 62, 62t
- Adipokines, 246
- Adipose cells/tissue, 180, 180f
 - brown adipose tissue, 239
 - growth of, during infancy, 658–659
 - set-point theory and, 248
- Adjustable gastric banding, 262, 263f
- Adolescents. *See* Teenagers
- Adrenaline, 89
- Adults
 - aging and, 700–705
 - Alzheimer's disease, 719–720
 - arthritis, 713
 - body composition changes, 712
 - bone and joint health, 712–713
 - calcium, 708
 - calories, 707
 - carbohydrates, 707–708
 - carotenoids and, 709–710
 - chronic diseases and, 715
 - depression and, 719
 - dietary recommendations and, 710, 711t–712t, 720–722
 - digestive system, 714
 - eating disorders and, 510
 - economic factors in nutritional status, 720
 - endocrine system and, 715
 - exercise recommendations, 713–714
 - fat intake, 707
 - folate, vitamin B-6, B-12, 709
 - herbal remedies and, 716, 717t–718t
 - immune system and, 715
 - iron, 708
 - lifestyle recommendations for, 710, 711t–712t
 - loss of lean muscle mass, 707, 712
 - magnesium, 709
 - nervous system and, 714–715
 - nutrient needs of, 705–710
 - physical activity guidelines for, 48, 48t
 - physiological changes, 701–702, 702t, 710, 711t–712t
 - protein, 707
 - psychosocial factors, 718–720
 - sodium, 709
 - vitamin D, 708
 - vitamin E and, 709
 - water intake, 708
 - zinc, 708
- Advertising
 - childhood obesity, 6
 - as food choice factor, 5–6
- Aerobic exercise
 - adult recommendations for, 713
 - to enhance function heart and lung function, 470–471
 - intensity of, 471
 - maximum heart rate (MHR), 471, 471f
 - Rating of Perceived Exertion (RPE) scale, 471, 471f
 - recommendations on, 471
- Aerobic metabolism, 475–477
 - of carbohydrates, 474t, 475
- Aerobic process, 80
- Aging. *See also* Older adults
 - causes of, 700–702, 702t
 - defined, 701
 - heredity and, 703
 - lifestyle and, 703–705
 - successful, 703
 - usual, 702
- Agriculture
 - biotechnology, 563–566
 - community supported agriculture programs (CSA), 603
 - depletion of natural resources and, 555–556
 - locally grown foods, 601–602
 - organic food, 598–600
 - sustainable agriculture, 563, 596–601
- AIDS/HIV
 - breastfeeding and, 554, 558
 - children with, 559–560
 - defined, 554
 - incidence of, 557–558
 - nutrition and, 560
 - regional statistics of, 558, 559t
 - transmission of, 558
 - universal treatment for, 560
- Air displacement, 243, 245f

Contemporary Nutrition (Wardlaw) McGraw-Hill

- Albumin, 286
- Alcohol
 - absorption and metabolism of, 725–726
 - benefits of moderate consumption, 45, 726
 - binge drinking, 30, 724
 - eating disorders and, 525
 - blood alcohol concentration and symptoms, 726t
 - bone health and, 362, 363t
 - calorie source of, 15, 236
 - college students and, 30
 - fertility and, 616
 - maltose, 122
 - moderate drinking, 724
 - pregnancy and, 647–648
 - production of, 724
 - standard drink, 724, 725f, 725t
- Alcohol abuse/alcoholism
 - excessive intake and hypertension risk, 321
 - extreme drinking, 30
 - folate deficiency and, 434
 - heavy drinking risks/effects of, 726–729, 728t
 - incidence of, 727
 - magnesium deficiency, 378
 - older adults and, 729
 - potassium deficiency and, 318
 - riboflavin deficiency, 402
 - risks and effects of, 726–729, 728t
 - symptoms of, 727
 - teenagers and, 688–689
 - thiamin deficiency, 400
- Alcohol-related birth defects (ARBDs), 648
- Alcohol-related neurodevelopmental disorders (ARNDs), 648
- Alcohol use disorders, 724
- Aldosterone, 306, 306f
- Alkalosis, 313
- Allergens, 690
- Allergies, food
 - defined, 661
 - increase in incidence of, 690
 - living with, 692
 - mechanism of, 690–691
 - most common, 690, 691f
 - preventing, 692–693
 - probiotics and, 458–459
 - to proteins, 210, 210f
 - symptoms of, 690
 - testing for, 691–692, 691t
- Alli, 260, 260f, 280
- Almond milk, 389, 389t
- Alpha-linolenic acid, 162
 - intake recommendations, 185t
- Alternative medicine, 716, 717t–718t
- Alternative sweeteners
 - as carbohydrate source, 132–133
 - as food additive, 587t
 - relative sweetness of sugars, 131t
 - safety of, 132
 - types of, 132–133
- Alzheimer's disease
 - adult nutritional status and, 719–720
 - preventing, 720
 - warning signs of, 719f
- American College of Sports Medicine (ACSM), 469
- American Heart Association, 183, 183t
- American Institute for Cancer Research, 350, 352
- Amino acids, 12
 - body's storage capacity of, 102
 - branched-chain, 202
 - conditionally essential amino acids, 203
 - defined, 202
 - essential, 203
 - limiting, 203
 - nonessential, 202–203
- Amino-acid supplements, 219–220
- Amphetamine-like medication for weight loss, 259–260
- Amylase, 134
- Amylopectin, 122
- Amylose, 122
- Anabolic steroids, 499t
- Anaerobic metabolism, 80, 474–475
- Anal sphincters, 100
- Anaphylaxis, 690
- Android obesity, 246
- Anemia
 - defined, 399, 431
 - iron-deficiency, 275, 438, 439
 - macrocytic, 431, 431f, 432f
 - microcytic, 431, 431f
 - pernicious, 436
 - during pregnancy, 635
 - reasons for, 431
 - signs and symptoms of, 431
 - sports anemia, 485
- Anencephaly, 432
- Angiotensin, 306, 306f
- Animal fat, 160–161, 167
- Animal model, 18–19
- Animals
 - as mineral source, 286
 - protein source, 206, 207–208, 218–219
- Anorexia nervosa, 30
 - atypical, 527
 - body image and, 512, 512f
 - case study of, 516, 531–532
 - common behaviors of, 512–513
 - deaths from, 515, 515f
 - defined, 509
 - diagnostic criteria for, 511–512, 511t
 - nutrition therapy for, 515–516
 - personality traits and, 512
 - pharmacological therapy for, 517
 - physical effects of, 513–515, 514f
 - psychological therapy for, 516–517
 - treatment for, 515–517
- Anthocyanins, 332, 342
- Anthropometric assessment, 59
- Antibodies, 92, 446
- Antibody-mediated immunity, 446
- Antidiuretic hormone (ADH), 306, 306f
- Antigens, 92, 446, 690
- Antioxidants
 - antioxidant activity of common foods, 343t
 - athletes and, 484–485
 - carotenoids, 338–340
 - defense against free radicals, 331–332, 332f
 - defined, 331
 - dietary antioxidant defined, 332

Contemporary Nutrition (Wardlaw) McGraw-Hill

- Antioxidants (*Continued*)
 dietary recommendations for, 332
 fertility and, 615–616
 as food additive, 587t
 functions of, 331–332
 micronutrients and, 289
 oxidation and reduction reaction overview, 330–331
 oxygen radical absorption capacity (ORAC), 342, 343t
 phytochemicals, 341–345
 pregnancy and, 646–647
 protecting immune cells, 448
 reducing LDL oxidation, 190–191
 selenium, 345–347
 stroke risk reduction and, 344
 total antioxidant capacity (TAC), 344
 vitamin C, 336–338
 vitamin E, 332–335
- Anus, 100
- Appearance, food choice factor, 4
- Appetite, 7
- Apple shape, 246, 246f
- Arachidonic acid (AA), 164
 in breast milk, 664
 infants and, 661
- Arteries, 86
- Arthritis, 713
- Ascending colon, 99, 99f
- Ascorbic acid. *See* Vitamin C (ascorbic acid)
- Aseptic processing, 580
- Aspartame, 132–133, 647
- Aspirin, to prevent heart attacks, 192
- Atherosclerosis, 179, 190
- Athletes. *See also* Endurance athletes
 antioxidants, 484–485
 B vitamins, 484
 caffeine and, 487
 calcium, 486
 calories for, 479–480
 carbohydrate-loading regime, 490–491, 491t
 carbohydrates intake and, 480–481, 481t, 482t
 ergogenic aids and, 497–498, 498t–499t
 fat, dietary, 482
 fat adaptation, 491–492
 fatigue delay for endurance athletes, 489–493
 female athlete triad, 528, 528f
 fluid needs, 486–489
 heat-related illnesses and avoiding, 486–487, 488t
 hyponatremia and, 308
 iron deficiency, 485–486
 MyPlate guidelines for, 481t
 protein, 482–484, 483t
 sports drinks, 488–489
 strength and power athletes muscle gain, 493–495
 student, 31
 vitamin B-6 and, 407
 vitamins and minerals, 484–486
 water intoxication, 489
- Atoms, oxidation and reduction, 330, 330f
- Atopic diseases, 641, 668
- Atypical anorexia nervosa, 527
- Autism spectrum disorder (ASD)
 incidence of, 679
 nutrition and, 679–680
- Autoimmune diseases, probiotics and, 458–459
- Availability, as food choice factor, 5
- Avoidant/restrictive food intake disorder (ARFID), 676
- B**
- Bacteria, 577t
 in body, 457
 danger zone temperature for, 583, 583f
 defined, 576
 foodborne illnesses from, 581–584, 581t–583t, 583f
 in large intestine, 99–100, 456–457, 457f
 probiotics, 456–460
- Balance, in food choice, 40
- Balance exercise, adult recommendations for, 713
- Bariatric surgery, 261–262, 263f
- Basal metabolic rate (BMR)
 adults and, 707
 fever and, 303f
- Basal metabolism, 237–238
 of tall people, 248
- Basophil, 426f, 427
- Beano, 136f
- Behavior modification for weight loss, 251, 255–259
 chain-breaking, 256
 cognitive restructuring, 256–257
 contingency management, 257
 mindful eating, 256
 overview of tips for, 258t
 relapse prevention, 257
 self-monitoring record, 257
 setting realistic goals, 255–256
 social support for, 257
 stimulus control, 256
- Benign, 348
- Beriberi, 400, 543t
- Beta-carotene, 339, 340, 341
- Beta-hydroxy-beta methylbutyric acid (HMB), 498t
- BHA, 171
- BHT, 171
- Bicarbonate, 94t
 secreted by pancreas, 96, 101
- Bifidobacteria*, 99
- Bile, 94t
 action of, 101
 fat digestion and, 174–175, 175f
- Bile acid sequestering agents (Resins), 192
- Binge drinking, 30, 724
- Binge eating
 bulimia nervosa and, 518
 defined, 518
- Binge-eating disorder, 30
 common behaviors of, 523–524
 defined, 509
 diagnostic criteria for, 522, 523t
 nutrition therapy, 525
 pharmacological therapy, 525–526
 physical effects of, 514f, 524
 psychological therapy, 524–525
 treatment for, 524–526
- Bioavailability, 280
 of calcium, 366
 defined, 398
 of minerals, 283, 286
- Biochemical assessment, 59
- Bioelectrical impedance, 243, 245f

Contemporary Nutrition (Wardlaw) McGraw-Hill

- Biological pest management, 598–599
- Biotechnology, 563–566
- Biotin. *See* Vitamin B-7 (Biotin)
- Birth defects
 - causes of, 645
 - choline for preventing, 418
 - preventing, 645–649
- Bisphosphonates, 386
- Blood/blood health
 - anemia, 431
 - cells of, 426–427, 426f, 427f
 - circulation of, 85–86, 85f
 - clotting, 364, 428, 428f
 - components of, 426–427, 426f
 - copper and, 443
 - deoxygenated, 85
 - erythropoiesis, 430–445
 - folate and, 431–432
 - function of, 425–427
 - hemostasis, 427–430
 - iron and, 438–440
 - lipids in, 176–180
 - micronutrients and, 290
 - oxygenated, 85
 - pH of, 313–314
 - red blood cell formation, 430–445
 - vitamin B-12 and, 436
 - vitamin E and, 428, 431
 - vitamin K and, 428–430
- Blood doping, 499t
- Blood glucose
 - diabetes and failure to regulate, 147–152
 - glycemic index and, 139–141
 - insulin and glucagon regulating, 138–139
 - stress and, 139
- Blood pressure
 - fluid conservation and, 306, 306f
 - high
 - cardiovascular disease risk, 191
 - contributors to, 320–321
 - medications for, 322
 - prevention of, 322
 - potassium and, 317
 - reasons for controlling, 322
 - sodium intake and, 315
- BMI. *See* Body mass index (BMI)
- BMI-for-age growth chart, 658, 658t
- BodPod, 243, 245f
- Body. *See* Human body
- Body composition, adulthood changes in, 712
- Body fat. *See* Fat, body
- Body image, anorexia nervosa and, 512, 512f
- Body mass index (BMI)
 - BMI-for-age growth chart, 658, 658t
 - calculating, 242
 - cautions in using, 242
 - pregnancy and, 622–623, 626–627, 627t
 - weight categories for, 242, 242f, 242t
- Bolus, 95
- Bomb calorimeter, 235–236, 237f
- Bonds, 11
- Bone marrow, 360, 360f
- Bone mineral density, 361
- Bone remodeling, 360–361, 361f
- Bones/bone health, 359–390
 - adults, 712–713
 - assessment of, 386–387
 - biological factors in, 362, 362t
 - calcium and, 363–369
 - estrogen levels and, 362
 - fluoride, 380–381
 - growth of and remodeling, 360–361, 361f, 363–364
 - lifestyle factors in, 362–363, 363t
 - magnesium and, 377–379
 - micronutrients and, 290, 381–383, 382t
 - osteomalacia, 373
 - osteoporosis, 383–386
 - peak bone mass, 361, 385f, 386
 - phosphorus, 369–371
 - sodium intake and, 315
 - structure of, 360, 360f
 - vitamin D and, 371–376
 - vitamin K and, 429
 - weight-bearing exercise and, 362, 362f
 - without dairy, 388–390
 - women athletes and, 486
- Boron, bone health and, 381, 382, 382t
- Bottled water
 - compared to tap water, 308–309
 - impact on environment, 309
 - recommendations for, 309
- Bottle feeding, 665–666, 669
- Botulism, 577t, 582t, 604
- Brain
 - Alzheimer's disease, 719–720
 - choline and development of, 416
 - glucose for, 89
 - infant head circumference and growth of, 658, 658f
 - satiety regulation and, 7
- Branched-chain amino acids (BCAA), 202, 498t
- Bran fiber, 124
- Breakfast
 - importance of eating, 29, 33
 - school-age children and, 683–684
 - sugary breakfast cereal, 127
- Breastfeeding, 637–644
 - advantages of, 642–643, 642t, 664–665
 - AIDS/HIV and, 554, 558
 - barriers to, 643–644
 - as birth control, 554
 - colostrum, 639–640
 - in developing world, 557
 - Dietary Guidelines for Americans (2010), 631t
 - environmental contaminants in milk, 644
 - fluoride and, 663
 - food plan for, 641
 - human milk compared to cow's milk, 660, 660t
 - length recommendations for, 637
 - let-down reflex, 638, 639f
 - nutritional qualities of milk, 639–640, 664–665
 - preterm infants and, 640
 - production of milk, 638
 - vegetarian diets and, 662, 665
 - vitamin D and, 661–662
 - weaning from, 669
- Brown adipose tissue, 239
- Buffer, 314
- Bulimia nervosa, 30

Contemporary Nutrition (Wardlaw) McGraw-Hill

- Bulimia nervosa (*Continued*)
binge eating and, 518
common behaviors of, 518–520
defined, 509
diagnostic criteria, 518, 518t
nutritional therapy for, 521
pharmacological therapy for, 521–522
physical effects of, 514f, 520
psychological therapy for, 521
treatment for, 520–522
- Bureau of Alcohol, Tobacco, Firearms and Explosives (ATF), 578t
- C
- Cadmium, 594t
- Caffeine
content of common foods, 592t
in energy drinks, 487, 488
as ergogenic aid, 498t
facts and myths of, 591–592
pregnancy and, 647
safety concerns for, 591–593
teenagers and, 688
- Calciferol. *See* Vitamin D (calciferol/calcitriol)
- Calcitriol. *See* Vitamin D (calciferol/calcitriol)
- Calcium
absorption of, 286, 364, 366
adults, 708
amount in human body, 283f
athletes and, 486
bioavailability of, 366
blood clots and muscle contractions, 364
bone growth, maintenance and repair, 363–364
Daily Value for, 366
dairy-free diet and, 388
deficiency/toxicity symptoms, 284t
dietary sources of, 284t
food sources of, 365–366, 365f, 367f
functions of, 284t, 363–364
health benefits of, 365–366
increase in diet, 45, 46t
lactose intolerance and, 365
preschool children, 673
RDA/Adequate intake, 284t, 364–366
release of neurotransmitters and, 89
sodium intake and, 315
spinach and bioavailability of, 286
supplements, 367–369
teenagers, 687
Upper Level for, 365–366
vegetarian diet and, 226
Vitamin D and, 286
- Calories
adults, 707
for athletes, 479–480
balancing, to manage weight, 43, 44t, 45
calculating, 15–16
cancer risk and excessive, 350
claims on food labels, 68t
decrease for weight loss, 251, 252–254
defined, 15
determining amount used by body, 239–240
energy intake and, 235–237
estimates of energy needs, 240–241
for infants, 660, 660t
measuring, 235–236, 237f
MyPlate calculator for, 45
MyPlate calorie guideline, 241, 241t
MyPlate for 1500 to 5000 kcal day, 481t
for physical activity, 238
portion control and, 252
pregnancy and, 624
preschool children, 672, 673t
restriction of, and longevity, 704
teenagers and, 686
very-low-calorie diet (VLCD), 261
- Calorimetry, direct and indirect, 239–240
- Campylobacter*, 581t, 583
- Canada, food insecurity in, 542
- Cancer
deaths from, 348, 349f
defined, 9t
detecting, 348
dietary and body fat and risk of, 349–350
diet influence on, 349–350, 351t
factors influencing development of, 349
genetic link, 104
pesticides and risk of, 596
phytochemicals and antioxidants, 350, 351t
prevention
carotenoids and, 339–340
recommendations for, 350, 352
vitamin A, 451
red meat consumption and, 220
reduction of, and phytochemicals, 39
terminology of, 348
treatment of, and nutrition concerns, 350
vegetarian diet and, 224–225
- Canola oil, 164
- Capillaries, 86
- Capillary beds, 213, 213f
- Carbohydrate-focused diet, 266t, 267
- Carbohydrates, 119–146
absorption of, 136
adults, 707–708
aerobic metabolism of, 474t, 475
anaerobic metabolism of, 474–475, 474t
athletes and, 480–481, 481t, 482t, 490–491
ATP formation from, 475, 476f
blood glucose regulation and, 138–141
body's storage capacity, 101–102
in breast milk, 664
calorie source of, 15, 236
carbohydrate-focused diet, 266t, 267
carbohydrate-loading regime, 490–491, 491t
cell membrane and, 80
complex, 11
daily intake of, 141–142
digestion of, 134–135
energy bars, gels and chews, 492–493, 492t
as energy source, 120–121, 138
energy source for exercise, 476–477, 477f
food sources of
artificial sweeteners, 132–133
dairy products, 129–130
fruits, 129
nutritive sweeteners, 130–132, 142–146
top sources of, in U.S. diet, 125–126

Contemporary Nutrition (Wardlaw) McGraw-Hill

- Carbohydrates (*Continued*)
 - vegetables, 129
 - whole grains, 126–129
 - forms of
 - complex carbohydrates, 122–124
 - disaccharides, 122
 - fiber, 124–125, 137, 141, 142
 - monosaccharides, 121–122
 - high-carbohydrate meals, 480–481, 482t, 483t
 - high-protein, low-carbohydrate diets, 267
 - infants, 660–661
 - major functions of, 11, 11t
 - polycystic ovary syndrome and, 615
 - pregnancy and, 627–628, 628f
 - recommended daily intake of, 120
 - strength training and, 494, 495
 - thermic effect of food and, 238–239
- Carbon skeleton, 215
- Cardiovascular (heart) disease
 - carotenoids for prevention of, 339
 - deaths from, 10, 189
 - defined, 9t
 - development of, 189–191
 - fat intake recommendations, 183, 183t
 - folate and, 432, 434
 - genetic link and, 103–104
 - HDL and, 179
 - medication to lower blood lipids, 192–193
 - Mediterranean diet and, 185, 186
 - plant sterols for, 193–194
 - red meat consumption and, 220
 - risk factors for, 191–192
 - school-age children and early signs of, 683
 - surgical treatments for, 194
 - vegetarian diet and, 224–225
- Cardiovascular system, structure and function, 83f, 84–86
- Carotenoids, 449, 451
 - adults and, 709–710
 - cancer prevention and, 339–340
 - cardiovascular disease prevention, 339
 - defined, 332
 - food sources, 340, 340t
 - functions of, 339–340
 - too much, 340
 - vision and, 339
- Case-control study, 18
- Catalase, 81
- Cataracts
 - carotenoids and, 339
 - vitamin E and, 333
- Cecum, 99, 99f
- Celiac disease, 212
 - symptoms, causes and treatment for, 112–113
- Cell-mediated immunity, 446
- Cell membrane, 79f
 - choline and, 416
 - structure and function of, 80
- Cell nucleus, 79f, 80–81
- Cells, 11
 - aging, 701
 - metabolism of, 79
 - structure and function of, 79–81, 79f
- Cellular differentiation, 364
- Cellulose, 122, 124
- Centers for Disease Control and Prevention (CDC), 20, 578t
 - growth charts, 657, 657f
- Central obesity, 246
- Cerebrovascular accident, 189
- Chain-breaking, 256
- Cheilitis, 402, 402f
- Chemical digestion, 92
- Chemical reactions, 12
- Child and Adult Care Food Program, 547t
- Children. *See also* Infants; Teenagers
 - advertising and obesity, 6
 - early food exposure and food choice factor later, 4
 - essential amino acid requirement, 203
 - failure to thrive, 659
 - food allergies and, 692–693
 - growth charts for, 657–658, 657f
 - MyPlate guidelines, 674, 674f, 675t
 - physical activity guidelines for, 48t
 - preschool children
 - autism and nutrition, 679–680
 - calcium need, 673
 - calorie need, 672, 673t
 - constipation and, 678–679
 - dietary supplements, 677
 - feeding skills of, 673–674
 - iron need, 672–673
 - lead poisoning reduction, 677–678
 - MyPlate guidelines for, 674, 674f, 675t
 - oral health, 679
 - physical activity and, 682
 - picky eating food preferences of, 674–676
 - snacks for, 676, 677t
 - sodium and, 673
 - vegetarian diet for, 679
 - school-age children
 - beverages and, 684–685
 - breakfast and, 683–684
 - early signs of cardiovascular disease, 683
 - healthy dietary fat, 684
 - MyPlate guidelines for, 681, 681f
 - nutrition in schools, 685
 - reversing overweight and obesity trend, 682–683
 - soft drinks and, 684–685
 - Type 2 diabetes, 683
 - undernutrition during, 568
 - vegetarian diet and, 227
- Children’s Food and Beverage Advertising Initiative (CFBAI), 6
- Children’s Hunger Relief Fund, 555
- Chloride
 - amount in human body, 283f
 - deficiency/toxicity symptoms, 284t
 - dietary sources of, 284t
 - food sources of, 319
 - functions of, 284t, 319
 - RDA/Adequate intake, 284t
- Chlorine, 416
- Chlorosis, 275, 276
- Cholecystokinin (CCK), 211
- Cholesterol
 - binge-eating disorder and elevated levels, 524

Contemporary Nutrition (Wardlaw) McGraw-Hill

- Cholesterol (*Continued*)
blood levels, and cardiovascular disease risk factor, 191
body's production of cholesterol, 182
claims on food labels, 68t
component of cell membrane, 80
defined, 9t, 160
dietary fat and, 11–12
fiber reducing absorption of, 141
food sources of, 168
good and bad, 179–180
HDL, LDL and VLDL, 177–180
high levels of, and genetic link, 103–104
metabolic syndrome risk, 151
role in body, 181–182
school-age children and elevated, 683
- Choline
Adequate Intake for, 279t, 417
deficiency/toxicity symptoms, 279t
dietary sources of, 279t
food sources of, 417, 417f
function of, 279t
functions of, 416
health benefits of, 418
Upper Level for, 417
- ChooseMyPlate guidelines. *See* MyPlate guidelines
- Chromium
Adequate Intake for, 285t, 413
Daily Value for, 413
deficiency, 285t, 412
dietary sources of, 285t
energy metabolism and, 411–412, 415t
food sources for, 413
functions of, 285t, 412–413
summary of, 415t
- Chromosomes, 80
- Chronic diseases
adults and, 715
defined, 9t
- Chylomicron
composition of, 176t, 177f
role of, 177–178
- Chyme, 95, 210
- Cirrhosis, 727, 729
- cis* fatty acids, structure of, 162
- Clean 15, 596, 597t
- Clinical assessment, 59
- Clostridia*, 99
- Clostridium*, 132, 582t
- Coagulation (blood clotting), 428
- Coconut milk, 389–390, 389t
- Cod-liver oil, 275
- Coenzyme
defined, 289, 397
energy metabolism and, 398, 398f
- Cofactor
defined, 288–289, 397
energy metabolism and, 398, 398f
- Coffee, 591–593, 592t
- Cognitive behavioral therapy, 524
anorexia nervosa treatment, 517
- Cognitive restructuring, 256–257, 258t
- College
alcohol/binge drinking, 30
eating disorders, 30
food choices, 28
Freshman Fifteen, 28
student athletes diet, 31
tips for eating well during, 31
vegetarian lifestyle, 30–31
weight control, 28–30
- Colon, 99–100, 99f
osmosis and, 310
- Colon cancer
dietary fiber and risk of, 137
red meat and, 218–219
vitamin B-6 and, 407
- Colostrum, 639–640
- Commodity Supplemental Food Program, 547t
- Community supported agriculture programs (CSA), 603
- Compact bone, 360
- Compensatory behaviors, 518
- Complementary medicine, 716, 717t–718t
- Complementary proteins, 208–209
- Complete proteins, 208
- Complex carbohydrates, 11, 122–124
- Compression of morbidity, 703
- Conditionally essential amino acids, 203
- Cones, 449
- Congenital hypothyroidism, 411, 629, 646
- Congregate Meals for the Elderly, 547t, 548, 722
- Conjugated linoleic acid (CLA), 162
- Connective tissue, 82
- Constipation
dietary fiber and, 137
older adults and, 714
pregnancy and, 634
preschool children and, 678–679
symptoms, causes and treatment for, 110–111
- Contingency management, 257
- Control group, 18
- Convenience, as food choice factor, 5, 6
- Cool-down, for exercise routine, 472–473
- Copper
absorption of, 286
amount in human body, 283f
blood health and, 443
bone health and, 381, 382t
deficiency, 443
deficiency/toxicity symptoms, 285t
dietary sources of, 285t
food sources of, 443–444, 444f
functions of, 285t, 443
RDA/Adequate intake, 285t
toxicity, 444
- Coronary artery bypass graft (CABG), 194
- Coronary artery disease (CAD), 189
- Coronary heart disease (CHD), 189
- Cortical bone, 360, 360f
- Coumadin, 429
- Creatine, 474
as ergogenic aid, 498t
strength training and supplements, 494
- Cretinism, 411, 629, 646
- Crohn's disease, 458
- Curing and pickling agents, 587t, 589
- Cystic fibrosis, deficiency in fat-soluble vitamins and, 280

Contemporary Nutrition (Wardlaw) McGraw-Hill

- Cytoplasm, 79f, 80
- D
- Daily Food Plans, 50, 51t
- Daily Value (DV)
 - defined, 62t, 63
 - on food label, 66, 67f
- Dairy-free diet, 388–390
- Dairy products
 - allergy to, 210
 - as calcium source, 365f, 366, 367f
 - as carbohydrate source, 129–130
 - chocolate milk, 73
 - lactose maldigestion and intolerance, 135
 - pasteurizing, 576
 - recommended daily intake of, 130
- DASH Diet, 321–322, 321t
- Deficiency, nutritional, 57
- Deficiency diseases
 - beriberi, 400
 - pellagra, 404
 - rickets, 372–373
 - undernutrition and, 542–544, 543t
 - vitamins to treat, 277, 279
- Dehydration
 - athletes and weight loss through, 479–480
 - effects of, 306–307, 307f
 - infants, 663
 - thirst as indicator of, 306, 307–308, 486–487
 - urine to monitor hydration, 307, 307f
- Delaney Clause, 589
- Dementia, niacin deficiency and, 404
- Denaturation, of proteins, 205–206
- Dense bone, 360
- Deoxy ribonucleic acid (DNA), 80
- Depolarization, 312, 312f
- Depression, adult nutritional status and, 719
- Descending colon, 99, 99f
- Desirable weight, 241
- Developing world, undernutrition in, 553–566
 - agriculture and rapid depletion of natural resources, 555–556
 - AIDS impact, 557–560
 - biotechnology, 565–566
 - food/population ratio, 553–554
 - gender and development (GAD) approach, 562–563
 - inadequate shelter and sanitation, 556–557
 - incidence of, by region, 540, 540f
 - reducing, 561–566
 - sustainable agriculture, 563
 - war and political/civil unrest, 554–555
- Developmental origins of health and disease hypothesis, 620
- Dextrose, 121
- Diabetes, 147–152
 - cardiovascular disease risk factor, 191
 - defined, 9t, 147
 - diabulimia, 529
 - forms of, 139
 - genetic link, 104
 - gestational diabetes, 635–636
 - hypoglycemia, 150
 - metabolic syndrome, 150–152
 - obesity and, 150
 - school-age children and, 683
 - symptoms of, 148
 - Type 1, 139, 147–149
 - Type 2, 139, 147, 149–150
 - upper-body obesity and, 246
- Diabulimia, 529
- Diarrhea
 - fluid loss during, 310–311
 - probiotics and reduction of, 457
 - symptoms, causes and treatment for, 112
- Diastolic blood pressure, 191
- Dietary Approaches to Stop Hypertension (DASH), 46
- Dietary assessment, 59
- Dietary fat. *See* Fat, dietary
- Dietary fiber. *See* Fiber, dietary
- Dietary folate equivalents (DFE), 433
- Dietary guidelines
 - Dietary Guidelines for Americans, 43–47
 - Mediterranean Diet Pyramid, 56
 - MyPlate, 49–55
 - portion size, 41
 - proportionality, 40–41
 - variety and, 38–40
- Dietary Guidelines for Americans* (2010), 43–47
 - adults and, 705
 - alcohol beverages, 729
 - balancing calories to manage weight, 43, 44t, 45
 - behavior modification suggestions, 256
 - building healthy eating patterns, 45–46
 - Call to Action, 257
 - carbohydrate consumption, 142
 - fat intake, 183
 - food and food components to reduce, 44t, 45
 - foods and nutrients to increase, 44t, 45
 - MyPlate as visual representation of, 49
 - overview, 43
 - pregnancy and breastfeeding, 631t
 - recommended diet changes based on, 46–47, 47t
 - reducing sugar, 130
 - whole grains, 126
- Dietary Reference Intakes (DRIs)
 - defined, 61
 - terms of, 61–63
 - using, 63–64
- Dietary supplements, 715–716
 - claims about, 290
 - definition of, 290
 - growing industry, 290
 - how to choose, 294
 - prenatal vitamins/mineral supplements, 630–631
 - preschool children and, 677
 - who should take, 290–293
- Dietitian, registered, 65
- Diets
 - carbohydrate-focused diet, 266t, 267
 - hCG, 267
 - healthful diet, 38–41
 - high-protein, low-carbohydrate diets, 267
 - low-fat diets, 170, 266t, 267
 - novelty diets, 266t, 268
 - quackery of popular diets, 268
 - recognizing unreliable, 265, 267
 - summary of popular, 265, 266t
 - very-low-calorie diet (VLCD), 261

Contemporary Nutrition (Wardlaw) McGraw-Hill

- Diets (*Continued*)
yo-yo dieting, 267
- Digestion
of carbohydrates, 134–135
chemical, 92
defined, 92
of dietary fat, 174–176
enzymes' role in, 92
important secretions of, 94t
mechanical, 92
of protein, 210–211
of sugar, 134–135
- Digestive system
carbohydrate digestion and absorption, 134, 134f
common health problems with, 107–113
dietary fat digestion and absorption, 174–176, 174f
lymphatic circulation in, 87
major sites of absorption, 100t
older adults, 714
portal circulation in, 86
probiotics and immune system, 456–460
protein digestion and absorption, 210–212
structure and function, 83f, 92–101, 93f
- Diglyceride, 165
- Dioxin, 594t
- Direct calorimetry, 239
- Dirty Dozen, 596, 597t
- Disaccharides, 122
- Disordered eating, 508. *See also* Eating disorders
- Diuretics, 318
hypertension treatment and, 318, 322
- Diverticula, 137
- Diverticulitis, 137
- Diverticulosis, 137
- DNA (deoxy ribonucleic acid), 80
protein synthesis and, 204
- Docosahexaenoic acid (DHA), 163, 164
in breast milk, 664
infants and, 661
- Double-blind study, 17
- Dowager's hump, 384, 385f
- Drought, 555
- Dual energy X-ray absorptiometry (DEXA), 243–244,
245f, 386–387
- Duodenum, 96
- E
- Early childhood caries, 669, 669f
- Eating disorders, 507–532
abuse and, 509–510, 519
anorexia nervosa, 509, 511–517
binge drinking connection, 525
binge-eating disorder, 522–526
bulimia nervosa, 509, 518–522
case study of, 516, 531–532
college students and, 30
defined, 509
demographics and, 510–511
diabulimia, 529
diagnostic criteria for, 509, 511t, 518t, 523t
epigenetics and, 510
female athlete triad, 528, 528f
genetics and, 509
media's influence and, 6
muscle dysmorphia, 528–529
night eating syndrome, 527
origins of, 509–510
orthorexia, 529
pica, 526
prevention of, 529–530
purging disorder, 527
- Eating patterns
building healthy, 46–47
disordered eating, 508–509
food as reward, 508
- Eat What You Love, Love What You Eat* (May), 256
- Eclampsia, 636
- E. coli*, 576, 577t, 579, 583, 602
irradiation and, 580
sources of/illness from, 581t
- Economic factors, food choice and, 6–7
- Edema, 213, 213f
- Eicosanoids, 163
- Eicosapentaenoic acid (EPA), 163, 164
- Electrolytes
acid-base balance and, 313–314
chloride, 319
defined, 13, 310
extracellular fluid, 310, 310f
intracellular fluid, 310, 310f
nerve impulse transmission, 312–313
osmosis and, 310
potassium, 317–319
regulating fluid balance, 310–311, 311f
sodium, 314–316
- Elimination diet, 692
- Embryo, 614
growth and development of, 617–619, 618f
- Empty calories
MyPlate guidelines and, 52
in soft drinks, 73
- Emulsifier, 168
- Endocrine glands, 89–90, 90t
- Endocrine system
adults and, 715
structure and function, 83f, 89–90
- Endoplasmic reticulum (ER), 79f, 81
- Endorphins, 508
- Endurance athletes, 483, 483t
after exercise replenish glycogen and fluid, 493
carbohydrate intake and, 480–481, 481t, 482t, 490–
491
carbohydrate-loading regime, 490–491, 491t
delaying or preventing fatigue, 489–493
fat adaptation, 478, 491–492
protein for energy source, 477, 478
replenishing fuel during event, 492–493
- Energy. *See also* Energy metabolism
adaptive thermogenesis and, 239
basal metabolism and, 237–238
carbohydrates as source of, 120–121, 138
determining amount used by body, 239–240
energy sources for muscles, 473–477
estimates of energy needs, 240–241
intake, 235–236
output, 237–239
for physical activity, 238
protein as source of, 214–215

Contemporary Nutrition (Wardlaw) McGraw-Hill

- Energy (*Continued*)
thermic effect of food (TEF), 238–239
- Energy balance, 40, 234–239
defined, 235
input, 235–236
negative, 235
output, 237–239
positive, 235
- Energy bars, gels and chews, 492–493, 492t
- Energy density
of common foods, 42t
defined, 41
weight-loss program and, 252
- Energy drinks, 487, 488
- Energy metabolism, 397–418
biotin, 409
B vitamins' role in, 398–399
choline, 416–418
chromium and, 411–412
iodide and, 411
manganese and, 413–414
micronutrients and, 290
molybdenum and, 414
niacin, 403–404
pantothenic acid, 405
riboflavin, 402
summary of vitamins and minerals involved in, 415t
thiamin, 400
vitamin B-6, 406–407
- Enriched foods, claims on food label, 68t
- Enterocytes, 97
- Enterohepatic circulation, 101
- Environmental assessment, 59
- Environmental factors
aging and, 705
in obesity, 247t, 248–249
- Environmental Protection Agency (EPA), 578t
regulation of pesticides, 595
- Environmental Working Group (EWG), 596
- Enzymes, 12
cell membrane and, 80
coenzyme and, 289
cofactor and, 288–289
defined, 288
free radical detoxification and, 331
function of, 288–289
lysosomes and peroxisomes, 81
proteins for forming, 213
role in digestion, 92
- Eosinophil, 426f, 427
- Ephedrine, 499t
- Epidemiology, 17
- Epigenetics, 102
eating disorders and, 510
- Epigenome, 102
- Epiglottis, 95, 95f
- Epinephrine
blood glucose and, 139
defined, 89
function of, 90, 90t
weight-loss medication and, 259–260
- Epithelial tissue, 82
vitamin A and, 449
- Ergogenic aids, 497–498, 498t–499t
- Erythroblast, 426f
- Erythrocyte, 426, 426f
- Erythropoiesis, 430–445
- Esophagus, structure and function of, 94f, 95, 95f
- Essential amino acids, 203
- Essential fatty acids, 12, 173t
infants and, 661
intake recommendations, 164–165, 185
pregnancy and, 628, 628f
role of, 162–163
- Essential nutrient, 8
- Estimated Energy Requirements (EERs), 62, 62t, 240–241
athletes and, 479
- Estrogen
body fat and fertility, 614–615
bone health and, 362
lower-body obesity, 246
osteoporosis and, 384
- Ethanol, 724
- Exercise. *See also* Physical fitness
adults and recommendations for, 713–714
aerobic exercise to enhance heart/lung function, 470–471
defined, 468
energy sources for muscles, 473–477
fluid intake during, 486–488
intensity of, and carbohydrate/fat use, 476–477, 477f
Physical Activity Guidelines for Americans, 48–49
pregnancy and, 625
training effect, 477–478
weight-bearing exercise and bone health, 362, 362f
- Experiments, animal, 18–19
- Extracellular fluid, 310, 310f
- Extracellular spaces, 213
- F
- Facilitated diffusion, 98
- Failure to thrive, 659
- Family planning programs, 554
- Famine, 544, 555
- Fast-food
advertising spent on, 6
as food choice factor, 6
teenagers and decreasing, 687–688
- Fat, body
adulthood and sarcopenic obesity, 712
aerobic metabolism and, 474t, 476–477
athletes and calorie need estimation, 479
ATP formation and, 476–477, 476f
brown adipose tissue, 239
cancer risk and, 349–350
as energy source, 180
estimating, to diagnose obesity, 242–244
exercise and energy source for, 476–477, 477f
fat adaptation, 478
fertility and, 614–615
health problems associated with excess, 244t
insulate and protect body, 181
losing, 249–250
lower-body obesity, 246, 246f
measuring techniques, 243–244, 245f
medication to lower blood lipids, 192–193
phospholipids in cell membranes, 181, 182f